



imPACKED
international













SALES CATALOGUE



TOPSEAL








	Toolnumber	Diameter ¹	Filling cap. (cc)	Material	Tolerance	Print ²	Label ³	Note
	068.000.068	68	150	PP	0,2	X	X	F
	075.000.040	75	100	PP	0,2	X	X	F
	075.000.050	75	100	PP	0,2	X	X	F
	075.000.073	75	150	PS	0,2	X	X	F
	075.000.074	75	150	PP	0,2	X	X	F
	075.000.075	75	150	PS	0,2	X	X	F
	075.000.098	75	200	PP	0,2	X	X	F
	075.000.100	75	250	PP	0,2	X	X	F
	079.000.030	79	80	PP	0,2	X	X	F
	095.000.033	95	125	PP	0,2	X	X	F













	Toolnumber	Diameter ¹	Filling cap. (cc)	Material	Tolerance	Print ²	Label ³	Note
	095.000.034	95	150	PP	0,2	X	X	F
	095.000.035	95	150	PP	0,2	X	X	F
	095.000.038	95	200	PP	0,2	X	X	F



	095.000.043	95	150	PS	0,2	X	X	F
	095.000.040	95	150	PS	0,2	X	X	F
	095.000.048	95	120/30	PS	0,2	X	X	F
	095.000.049	95	125/30	PS	0,2	X	X	F
	095.000.052	95	150/30	PS	0,2	X	X	F



	Toolnumber	Diameter ¹	Filling cap. (cc)	Material	Tolerance	Print ²	Label ³	Note
	095.000.052	95	150	PP	0,2	X	X	F
	095.000.054	95	170	PS	0,2	X	X	F
	095.000.054	95	175	PP	0,2	X	X	F
	095.000.059	95	190/40	PS	0,2	X	X	F
	095.000.060	95	175	PS	0,2	X	X	F
	095.000.062	95	200	PS	0,2	X	X	F
	095.000.063	95	200	PP	0,2	X	X	F
	095.000.064	95	200	PS	0,2	X	X	F
	095.000.067	95	200	PP	0,2	X	X	F
	095.000.069	95	200	PS	0,2	X	X	F






	Toolnumber	Diameter ¹	Filling cap. (cc)	Material	Tolerance	Print ²	Label ³	Note
	095.000.070	95	250	PP	0,2	X	X	F
	095.000.073	95	250	PS	0,2	X	X	F
	095.000.075	95	250	PS	0,2	X	X	F
	095.000.076	95	250	PS	0,2	X	X	F
	095.000.090	95	400	PS	0,2	X	X	F
	095.000.091	95	400	PP	0,2	X	X	F
								
	095.000.100	95	500	PS	0,2	X	X	F
	095.000.102	95	500	PS	0,2	X	X	F








	Toolnumber	Diameter ¹	Filling cap. (cc)	Material	Tolerance	Print ²	Label ³	Note
	095.000.103	95	500	PP	0,2	X	X	F
	112.000.038	112	250	PS	0,2	0	0	F
	116.000.050	116	200	PS	0,2	X	X	F
	116.000.055	116	175/30	PS	0,2	0	0	F
	116.000.062	116	500	PET	0,2	X	X	F
	116.000.063	116	500	PP	0,2	X	X	F
	123.000.030	123	200	PS	0,2	0	0	F
	123.000.040	123	250	PS	0,2	X	X	F
	123.000.050	123	500	PS	0,2	X	X	F
	123.000.051	123	500	PS	0,2	X	X	F










	Toolnumber	Diameter ¹	Filling cap. (cc)	Material	Tolerance	Print ²	Label ³	Note
	123.000.052	123	500	PS	0,2	X	X	F
	123.000.129	123	1000	PS	0,2	X	X	F
	133.000.012	133	Cover plate	PPC	0,2	0	X	F



	133.000.130	133	1000	PPC	0,2	0	X	F
	180.134.061	180x134x61	1000	PS	0,2	0	0	F
	180.134.122	180x134x122	2000	PS	0,2	0	0	F
	138.107.035	138x107x35	250	PET	±0,1	0	0	F
	142.112.015	142x112x15	-	PET	±0,1	0	X	F







	Toolnumber	Diameter ¹	Filling cap. (cc)	Material	Tolerance	Print ²	Label ³	Note
	234.138.043	234x138x43	900	PP	±0,1	0	0	F
	234.138.050	234x138x50	1000	PP	±0,1	0	0	F
	180.000.050	180x0x50	650	PP	±0,1	0	0	F
	183.160.055	183x160x55	650	PP	±0,1	0	0	F
	200.148.042	200x148x42	550	PP	±0,1	0	0	F
	200.148.050	200x148x50	295/230	PP	±0,1	0	0	F





	Toolnumber	Length	Width	Depth	Comp. ¹	Material	Capacity(cc)	Tolerance	Note
	178.103.040 P1/40	178 mm	103 mm	40 mm	1	PET	400	±0,1	F
	178.136.040 P24/40	178 mm	136 mm	40 mm	1	PET	640	±0,1	F
	178.136.050 P24/50	178 mm	136 mm	50 mm	1	PET	720	±0,1	F
	186.126.017	186 mm	126 mm	17 mm	1	R-PET	-	±0,1	F
	186.126.018	186 mm	126 mm	18 mm	1	R-PET	-	±0,1	F
	197.155.040 P2/40	197 mm	155 mm	40 mm	1	PET	700	±0,1	F
	197.155.050 P2/50	197 mm	155 mm	50 mm	1	PET	850	±0,1	F
	197.155.065 P2/65	197 mm	155 mm	65 mm	1	PET	1000	±0,1	F
	210.175.115 P1/1	210 mm	175 mm	115 mm	1	PET	2250	±0,1	F
	227.178.040 P3/40	227 mm	178 mm	40 mm	1	PET	1000	±0,1	F



	Toolnumber	Length	Width	Depth	Comp. ¹	Material	Capacity(cc)	Tolerance	Note
	227.178.050 P3/50	227 mm	178 mm	50 mm	1	PET	1350	±0,1	F
	227.178.060 P3/60	227 mm	178 mm	60 mm	1	PET	1500	±0,1	F
	227.178.080 P3/80	227 mm	178 mm	80 mm	1	PET	2150	±0,1	F
	228.178.018	228 mm	178 mm	18 mm	1	R-PET	-	±0,1	F







	230.145.030 P12/30	230 mm	145 mm	30 mm	1	PET	610	±0,1	F
	230.145.040 P12/40	230 mm	145 mm	40 mm	1	PET	840	±0,1	F
	230.145.050 P12/50	230 mm	145 mm	50 mm	1	PET	965	±0,1	F
	230.145.060 P12/60	230 mm	145 mm	60 mm	1	PET	1190	±0,1	F



	Toolnumber	Length	Width	Depth	Comp. ¹	Material	Capacity(cc)	Tolerance	Note
	230.145.080 P12/80	230 mm	124 mm	80 mm	1	PET	1600	±0,1	F
	234.138.029	234 mm	138 mm	29 mm	1	PP	550	±0,1	F
	260.177.050 P15/50	260 mm	177 mm	50 mm	1	PET	1450	±0,1	F
	260.177.070 P15/70	260 mm	177 mm	70 mm	1	PET	2000	±0,1	F
	260.177.090 P15/90	260 mm	175 mm	90 mm	1	PET	2500	±0,1	F
									
	308.240.043 P16/43	308 mm	240 mm	43 mm	1	PET	2100	±0,1	F
	308.240.050 P16/50	308 mm	240 mm	50 mm	1	PET	2400	±0,1	F
	308.240.065 P16/65	308 mm	240 mm	65 mm	1	PET	3320	±0,1	F



	Toolnumber	Length	Width	Depth	Comp. ¹	Material	Capacity(cc)	Tolerance	Note
	308.240.090 P16/90	308 mm	240 mm	90 mm	1	PET	4850	±0,1	F
	308.240.115 P16/115	308 mm	240 mm	115 mm	1	PET	5500	±0,1	F
	339.269.015 30 PL laag	339 mm	269 mm	15 mm	1	R-PET	-	±0,1	F
	339.269.035 30 PL hoog	339 mm	269 mm	35 mm	1	R-PET	-	±0,1	F